

INDEX TO VOLUME 112

New scientific names are in bold face

Adirondack mountains 355-377
Alabama 215-227
Alien flora of the Allegheny River Islands Wilderness, Pennsylvania. Survey of the, 142-155
Alien plant species 142-155
Allegheny National Forest 142-155
Allegheny River 142-155
Allegheny River Islands Wilderness, Pennsylvania 142-155
Alpine flora 355-377
Aluminum enforces site fidelity of southern New England forest trees 1-21
Andropogon gerardii 378-395
Angelo, Ray and David E. Boufford. *Atlas of the flora of New England: Magnoliidae & Hamamelidae*. 244-326
ANNOUNCEMENTS:
NEBC Graduate Student Research Award 332
Merritt Lyndon Fernald Award 333-334
Arctic seaweeds 396-434
Assessment of vegetation composition and change in the Adirondack alpine zone, New York State. A 23-year, 355-377
Atlantic Coastal Plain flora 34-57
Atlas 244-326
Atlas of the flora of New England: *Magnoliidae & Hamamelidae*. 244-326; distribution maps 268-324
Big bluestem (*Andropogon gerardii*; Poaceae) communities in the Carolinas: Composition and ecological factors. 378-395
Bigelow, Seth W. and Charles D. Canham. Evidence that soil aluminum enforces site fidelity of southern New England forest trees. 1-21
Boates, Sherman 22-33

BOOK REVIEWS:
Field Guide to Tidal Wetland Plants of the Northeastern United States and Neighboring Canada. 91-94
Naturalist's Guide to the Atlantic Seashore: Beach Ecology from the Gulf of Maine to Cape Hatteras. The, 445-446
Peat Mosses of the Southeastern United States. 441-444
Pitcher Plants of the Old World, Volumes One and Two. 95-97
Wild Urban Plants of the Northeast: A Field Guide. 447-450
Boufford, David E. 244-326
Bradley, Adam F. and Garrett E. Crow. The flora and vegetation of Timber Island, Lake Winnipesaukee, New Hampshire, U.S.A. 156-190
Bridges, William C. Jr. 378-395
British alkali grass 435-440
Bryophytes 156-190; 355-377

Calcareous fens of eastern New York and adjacent Connecticut. Vegetation, soils, and land use in, 335-354
Calcareous wetland 335-354
Calcicole 1-21
Calcifuge 1-21
Canham, Charles D. 1-21
Canopy tree 1-21
Carolinias 378-395
Catling, Paul M., Gisèle Mitrow, and Sherman Boates. A reconsideration of the taxonomic status of *Eleocharis tuberculosa* var. *pubnicoensis* (Cyperaceae). 22-33
Chondrus crispus 80-84
Claerbout, Ann E., Brent L. Todd, Janice M. Coons, Henry R. Owen, Donald W. Webb, and William E. McClain. Surveys of *Styloisma pick-*

eringii var. *pattersonii* (Convolvulaceae), its associated plant species, and its insect visitors. 228-243

Communities, Big bluestem 378-395

Community type 156-190

Connecticut 335-354

Conservation 34-57; 156-190

Convolvulaceae 228-243

Coons, Janice M. 228-243

Cover type 156-190

Crow, Garrett E. 156-190

Cyperaceae 22-33; 34-57

Dasiphora fruticosa 335-354

Deer Isles, Maine, U.S.A. 105-141

Dicerandra fumella (Lamiaceae), a new species in the Florida panhandle and adjacent Alabama, with comments on the *D. linearifolia* complex. 215-227

Dicerandra fumella sp. nov. (Lamiaceae); *D. linearifolia* var. *linearifolia*; var. *robustior* 215-227; distribution map in coastal plain of southeast U.S.A. 216; comparison chart of morphological characters 219; drawings 220-221; key 225-226.

Distribution 244-326

Disturbance 34-57; 355-377

Dry sand prairie 228-243

Eastern Canadian Arctic 396-434

Edaphic 378-395

Eleocharis tuberculosa var. *pubnicoensis* (Cyperaceae); *E. tuberculosa*; *E. retrorsa*; *E. pubnicoensis* 22-33

Endangered plant species, *Styloisma pickeringii* var. *pattersonii* 228-243

Endemics 215-227

Endemism 378-395

Evidence that soil aluminum enforces site fidelity of southern New England forest trees. 1-21

Exchangeable aluminum 1-21

Exchangeable calcium 1-21

Fen, calcareous 335-354

Fitzgerald, Brian T. 355-377

Flora 142-155; 156-190; 244-326

Flora and vegetation of Timber Island, Lake Winnipesaukee, New Hampshire, U.S.A. The, 156-190

Florida 215-227

Floristic comparison of seaweeds from James Bay and three contiguous northeastern Canadian arctic sites. A, 396-434; list of species 410-417

Floristics comparisons 396-434

Forest ecology 105-141

Form, *Eleocharis tuberculosa* 22-33

Freshwater island 156-190

Gametophytes 80-84

Genetic evidence of introgressive invasion of the globally imperiled *Scirpus longii* by the weedy *Scirpus cyperinus* (Cyperaceae) in Nova Scotia. 34-57

Genetic pollution 34-57

Gentianaceae 58-79

Gentianella 58-79

Gentianopsis 58-79

Geocology 105-141

Georgia 215-227

Gigartinaceae 80-84

Globally imperiled, *Scirpus longii* 34-57

Grace, Sean 80-84

Groffman, Peter M. 335-354

Guidone, Michele and Sean Grace. The ratio of gametophytes to tetrasporophytes of intertidal *Chondrus crispus* (Gigartinaceae) across a salinity gradient. 80-84 (New England Note)

Halophyte 435-440

Hamamelidae 244-326

Harris, Tanner B. 105-141

Heterostylum 228-243

Hill, Nicholas M. 34-57

Huck, Robin B. *Dicerandra fumella* (Lamiaceae), a new species in the Florida panhandle and adjacent

Alabama, with comments on the *D. linearifolia* complex. 215-227

Hudson Bay Estuary 396-434

Hybrids 34-57

Hydric-mesic 378-395

Illinois plants 228-243

IN MEMORIAM:

- Alice Faber Tryon 1920-2009. 85-90
- Carroll Emory Wood Jr. 1921-2009
A Tribute. 191-208
- Insect visitors to *Styloisma pickeringii* var. *pattersonii* flowers 228-243
- Intertidal 80-84
- Introgession 34-57
- James Bay 396-434
- Ketchledge, Edwin H. 355-377
- Kimmerer, Robin W. 355-377
- Kiviat, Erik, Gail Mihocko, Gretchen Stevens, Peter M. Groffman, and Douglas Van Hoewyk. Vegetation, soils, and land use in calcareous fens of eastern New York and adjacent Connecticut. 335-354
- K-selection 34-57
- Lake-island system 156-190
- Lamiaceae 215-227
- Land use, fen 335-354
- Long's bulrush 34-57
- Lythrum salicaria* 335-354
- MacKay, Ron, Sarah Reid, Robert William, and Nicholas M. Hill. Genetic evidence of introgressive invasion of the globally imperiled *Scirpus longii* by the weedy *Scirpus cyperinus* (Cyperaceae) in Nova Scotia. 34-57
- Magnoliidae 244-256
- Maine 105-141
- Mathieson, Arthur C., Gregg E. Moore, and Frederick T. Short. A floristic comparison of seaweeds from James Bay and three contig-
- uous northeastern Canadian arctic sites. 396-434
- McClain, William E. 228-243
- Mihocko, Gail 335-354
- Mikhailova, Elena A. 378-395
- Mitrow, Gisèle 22-33
- Moore, Gregg E. 396-434
- Morphology 58-79
- NEBC Meeting News 98-102, 210-214, 328-331, 454-455
- New Books 209, 327
- New England 1-21; 22-33; 80-84; 244-326
- New Hampshire 156-190
- New record, *Puccinellia rupestris* in Ohio 435-440
- New species, *Dicerandra fumella* 215-227
- New York State 335-354; 355-377
- North Carolina 378-395
- Northern hardwood forest 1-21
- Northwest Atlantic 396-434
- Nova Scotia 22-33; 34-57
- Ohio plant record 435-440
- Owen, Henry R. 228-243
- Patterson bindweed 228-243
- Pennsylvania 142-155
- Permanent transect 355-377
- Piedmont prairie 378-395
- Plant surveys 142-155
- Plant-soil relations 1-21; 105-141
- Plot study 156-190
- Poaceae 378-395; 435-440
- Poindexter, Derick B. and Ralph L. Thompson. The reemergence of *Puccinellia rupestris* (Poaceae) in North America. 435-440
- Pope, Nathaniel, Tanner B. Harris, and Nishanta Rajakaruna. Vascular plants of adjacent serpentine and granite outcrops on the Deer Isles, Maine, U.S.A. 105-141
- Prairie-like 378-395
- Prince, Jeffrey S. 58-79
- Pterygocalyx* 58-79

Puccinellia rupestris 435-440

Rajakaruna, Nishanta 105-141

Rank, *Eleocharis tuberculosa* 22-33

Rare species, Carolina prairies 378-395; list of rare and watch-listed species 386

Ratio of gametophytes to tetrasporophytes of intertidal *Chondrus crispus* (Gigartinaceae) across a salinity gradient. The, 80-84 (New England Note)

Raynal, Dudley J. 355-377

Reconsideration of the taxonomic status of *Eleocharis tuberculosa* var. *pubnicoensis* (Cyperaceae). A, 22-33

Reemergence of *Puccinellia rupestris* (Poaceae) in North America. The, 435-440

Reid, Sarah 34-57

Reviewers of manuscripts 2009-2010 456

Richardson, Keith 378-395

Riparian plant communities 142-155

Road salt 435-440

Robinson, Sean C., Edwin H. Ketchledge, Brian T. Fitzgerald, Dudley J. Raynal, and Robin W. Kimmerer. A 23-year assessment of vegetation composition and change in the Adirondack alpine zone, New York State. 355-377

R-selection 34-57

Salinity effects on seaweed ecology 396-434

Salinity gradient 80-84

Sand prairie, dry 228-243

Scirpus longii; *S. cyperinus* 34-57

Seaweed ecology 396-434

Seed coat 58-79

Seed coat morphology in *Gentianopsis* (Gentianaceae). 58-79

Seedling survival, trees 1-21

SEM 58-79

Serpentine and granite outcrops on the Deer Isles, Maine, U.S.A. Vascular plants of adjacent, 105-141

Serpentine ecology 105-141

Short, Frederick T. 396-434

Silver, Julie 58-79

Site fidelity 1-21

Soil chemistry, Carolina prairies 378-395

Soils, fen 335-354

South Carolina 378-395

Southeastern coastal plain endemics 215-227

Species diversity 105-141

Statement of Ownership 103

Stevens, Gretchen 335-354

Stringer, William C. 378-395

Styloisma pickeringii var. *pattersonii* (Convolvulaceae) 228-243; list of associated plant species 234; list of insect visitors 236-239

Succession 355-377

Survey of the alien flora of the Allegheny River Islands Wilderness, Pennsylvania. 142-155

Surveys of *Styloisma pickeringii* var. *pattersonii* (Convolvulaceae), its associated plant species, and its insect visitors. 228-243

Swertia 58-79

Taxonomic status of *Eleocharis tuberculosa* var. *pubnicoensis* (Cyperaceae). A reconsideration of the, 22-33

Tetrasporophytes 80-84

Timber Island, New Hampshire 156-190

Thompson, Ralph L. 435-440

Todd, Brent L. 228-243

Tompkins, Robert D., William C. Stringer, Keith Richardson, Elena A. Mikhailova, and William C. Bridges Jr. Big bluestem (*Andropogon gerardii*; Poaceae) communities in the Carolinas: Composition and ecological factors. 378-395

Twinspan 156-190

UPCOMING EVENT:
Orra White Hitchcock Exhibit 451-453

Van Hoewyk, Douglas 335-354
Variety, *Eleocharis tuberculosa* 22-33
Vascular plants 105-141; 156-190
Vascular plants of adjacent serpentine and granite outcrops on the Deer Isles, Maine, U.S.A. 105-141
Vegetation change 355-377
Vegetation composition and change in the Adirondack alpine zone, New York State. A 23-year assessment of, 355-377
Vegetation 335-354; 378-395
Vegetation, soils, and land use in calcareous fens of eastern New York and adjacent Connecticut. 335-354
Webb, Donald W. 228-243
Weedy 34-57
Wetlands 34-57; 335-354
Whitlock, Barbara A., Julie Silver, and Jeffrey S. Prince. Seed coat morphology in *Gentianopsis* (Gentianaceae). 58-79
William, Robert 34-57
Williams, Charles E. Survey of the alien flora of the Allegheny River Islands Wilderness, Pennsylvania. 142-155
Winnipesaukee, Lake 156-190
Woolgrass 34-57
Yarmouth County, Nova Scotia 22-33